

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

62.5 J. J. J.

UNION COUNTY

NURSERIES

Wholesale List—Fall, 1902



HIRAM T. JONES


ELIZABETH, NEW JERSEY

HIRAM T. JONES
UNION COUNTY NURSERIES
ELIZABETH, NEW JERSEY



Wholesale List—Fall, 1902

TERMS CASH, except by special agreement. TRANSPORTATION at purchaser's risk and expense. PACKING done in best manner at moderate cost. GRADES carefully made to a high standard of excellence.

 My stock has been examined by our State Entomologist, and found to be entirely free from San Jose Scale, Peach Rosette, Yellows, and other dangerous insects or plant diseases. A copy of the official certificate will be sent to each purchaser.

DECIDUOUS TREES

| | | |
|--|--------|---------|
| Acer campestre (English Cork Maple) — | 10 | 100 |
| 6 to 7 ft | \$7 50 | \$50 00 |
| 4 to 6 ft | 6 00 | 40 00 |
| dasycarpum (Silver Maple) — | | |
| 10 to 12 ft | 2 00 | 15 00 |
| 8 to 10 ft | 1 50 | 10 00 |
| dasycarpum Wierii (Wier's Cut-Leaf Maple) — | | |
| 8 to 10 ft | 2 50 | 20 00 |
| 6 to 8 ft | 2 00 | 15 00 |
| Negundo (Ash-Leaved Maple) — | | |
| 5 to 7 ft | 1 25 | 10 00 |
| 3 to 5 ft | 1 00 | 7 50 |
| platanoides (Norway Maple — | | |
| 15 to 18 ft.; 4 in.; fine | 50 00 | |
| 13 to 16 ft.; 4 in.; good | 25 00 | |
| 12 to 14 ft.; 3 to 3½ in.; fine | 35 00 | |
| 12 to 14 ft.; 2 to 3 in.; fine | 25 00 | |
| 10 to 12 ft.; 1½ to 2 in. | 7 50 | 50 00 |
| 8 to 10 ft.; 1 to 1½ in. | 3 00 | 25 00 |
| 7 to 9 ft.; selected | 2 00 | 18 00 |
| platanoides Schwedleri. 8 to 10 ft.. | 5 00 | |
| rubrum (Red Maple). 4 to 5 ft. | 3 50 | 30 00 |
| fastigiatum. 5 to 6 ft. | 20 00 | |
| saccharinum (Sugar Maple) — | | |
| 3 to 4 in. | 50 00 | |
| 2 to 2½ in | 17 50 | 150 00 |
| 1½ to 2 in. | 10 00 | 75 00 |
| 1 to 1½ in. | 3 50 | 30 00 |
| 8 to 10 ft | 3 00 | 25 00 |
| Tataricum Ginnala. 4 to 5 ft. | 3 00 | 25 00 |
| 3 to 4 ft. | 2 50 | 20 00 |

JAPANESE MAPLES

Specimen plants at special prices

| | 10 | 100 |
|---|---------------|----------|
| Acer Japonicum aureum. 2 to 3 ft | \$15 00 | |
| 18 to 24 in. | 10 00 | |
| polymorphum (Green-Leaved) — | | |
| 3 to 4 ft | 7 50 | |
| 2 to 3 ft | 4 50 | |
| polymorphum atropurpureum (Blood-Leaved) — | | |
| 3 ft. | 15 00 | \$100 00 |
| 2½ to 3 ft. | 12 50 | 90 00 |
| 2 to 2½ ft. | 1 00 | 75 00 |
| polymorphum atropurpureum dissectum (Purple Cut leaved) — | | |
| 18 to 24 in. | 10 00 | 80 00 |
| 2 to 2½ ft. | 15 00 | 125 00 |
| reticulatum (Yellow Leaved) — | | |
| 2 to 2½ ft | 15 00 | |
| sanguineum (Carmine-Leaved) — | | |
| 18 to 24 in. | 15 00 | 125 00 |
| Aesculus carnea (Red-Flowering Horse-Chestnut). 4 to 6 ft. | 7 50 | |
| 3 to 4 ft. | 5 00 | |
| Hippocastanum (Horse-Chestnut). 12 to 14 ft.; 3- to 4-in. trans. | \$2.50 each.. | |
| 8 to 10 ft | 4 00 | 30 00 |
| 6 to 8 ft | 2 50 | 20 00 |
| variflora (Buckeye) — | | |
| 3 ft.; well branched. | 3 00 | |
| 2 to 3 ft. | 2 50 | |
| Alnus imperialis laciniata (Cut Leaved Alder). 3 ft. | 5 00 | |
| Aralia Maximowiczii. 1 to 2 ft. | 2 50 | |
| pentaphylla. 3 to 4 ft. | 1 75 | 15 00 |
| 2 to 3 ft. | 1 00 | 9 00 |
| spinosa. 4 to 5 ft | 3 50 | |
| 3 to 4 ft | 1 50 | |
| 2 to 3 ft | 1 00 | 8 00 |
| Betula alba (European White Birch) — | | |
| 8 to 10 ft.; low-branched. | 4 00 | 35 00 |
| 6 to 8 ft.; low-branched. | 3 00 | 25 00 |
| 4 to 6 ft.; low-branched. | 2 00 | 15 00 |

| | | |
|--|--------|---------|
| Betula <i>alba laciniata</i> — | 10 | 100 |
| 5 to 6 ft.; well-branched | \$8 50 | \$75 00 |
| 3 to 5 ft.; well-branched | 6 00 | 50 00 |
| <i>alba pyramidalis</i> . 2 to 3 ft..... | 2 50 | |
| <i>alba purpurea</i> . 4 to 5 ft..... | 5 00 | |
| <i>lutea</i> (Yellow Birch). 4 to 6 ft.... | 3 00 | |
| <i>Maximowiczii</i> . 3 ft..... | 15 00 | |
| <i>papyracea</i> (Paper Birch). 4 ft.... | 5 00 | |
| Carpinus <i>Americana</i> (American Hornbeam). | | |
| 2 ft. | 1 00 | 7 50 |
| <i>Betulus</i> (European Hornbeam). | | |
| 1 to 2 ft.; bushy..... | 1 00 | |
| Carya <i>alba</i> (Hickory). 1 to 2 ft..... | 2 50 | |
| Castanea <i>Americana</i> (American Sweet Chestnut). 4 to 5 ft..... | 2 00 | 15 00 |
| <i>vesca</i> (Spanish Chestnut). 3 ft. | 1 00 | 7 50 |
| Catalpa <i>Bungei</i> . 2-yr. heads, specimens trans..... | 10 00 | |
| 2-yr. heads, fine shape..... | 7 50 | 60 00 |
| 1-yr. heads; 6 to 8 ft. | 5 00 | 40 00 |
| 1-yr. heads; 4 to 6 ft. | 3 00 | 25 00 |
| 1-yr. heads; dwarf, 2 to 3 ft.... | 2 50 | 20 00 |
| <i>speciosa</i> . 8 to 10 ft. | 2 00 | 15 00 |
| Celtis <i>occidentalis</i> (Hackberry). 2 ft.: bushy..... | 1 25 | 10 00 |
| Cerasus <i>rosea pendula</i> (Weeping Cherry). 3 ft.; well furnished..... | 6 00 | 50 00 |
| <i>Sinensis alba plena</i> (Double White Cherry). 4 to 5 ft..... | 7 50 | |
| <i>Sinensis rosea plena</i> (Double Pink Cherry). 4 to 5 ft..... | 7 50 | |
| <i>Virginiana</i> (Choke Cherry). 4 to 5 ft. | 1 25 | 10 00 |
| Cercis <i>Canadensis</i> (American Judas Tree)— | | |
| 5 to 6 ft. | 3 00 | 25 00 |
| 3 to 4 ft. | 2 00 | 15 00 |
| 2 to 3 ft. | 1 25 | 10 00 |
| <i>Japonica</i> (Japanese Judas Tree). 2 ft.; bushy..... | 1 50 | |
| Cladrastis <i>tinctoria</i> (Virgilia; Yellow-Wood). 4 to 5 ft..... | 5 00 | |
| Cornus <i>florida</i> (White-Flowering Dogwood)— | | |
| 2 to 3 ft. | 2 00 | 15 00 |
| 3 to 4 ft. | 2 50 | 20 00 |
| 4 to 6 ft. | 3 00 | 25 00 |



- Cherry. (See page 3.)

| | | | | |
|----------------|---|---------------|--------|---------|
| Cornus | <i>florida</i> | Red-Flowering | | |
| | Dogwood | | | |
| | 2 to 3 ft..... | | \$5 00 | \$40 00 |
| | 4 to 5 ft..... | | 10 00 | 75 00 |
| Cytisus | <i>Laburnum</i> (Golden) | | | |
| | 2 to 3 ft..... | | 1 00 | 7 00 |
| | 4 to 6 ft..... | | 2 50 | |
| Fagus | <i>ferruginea</i> (American Beech). | | | |
| | 3 to 5 ft..... | | 5 00 | 40 00 |
| | <i>sylvatica</i> (European Beech). | | | |
| | 5 ft..... | | 3 00 | 25 00 |
| | <i>sylvatica purpurea</i> (Copper Beech). | | | |
| | 2 to 3 ft..... | | 2 00 | 15 00 |
| | 3 to 4 ft..... | | 3 50 | 30 00 |
| | 4 to 6 ft..... | | 6 00 | 50 00 |
| | Specimens, \$7.50 to \$15 each. | | | |
| | <i>sylvatica tricolor.</i> 3 to 4 ft..... | | 10 00 | |

| | | | |
|---|--------|----|---------|
| | | 10 | 100 |
| <i>Fraxinus Americana</i> (White Ash). 4 to 6 ft. | \$1 50 | | \$10 00 |
| <i>Gleditschia triacanthos inermis</i> . 5 to 7 ft. | 3 00 | | |
| <i>Itea Virginica</i> . 3 to 4 ft. | 2 00 | | 15 00 |
| <i>Juglans cinerea</i> (Butternut). 2 ft. | 1 00 | | |
| <i>nigra</i> (Black Walnut). 4 to 5 ft. | 4 00 | | |
| <i>regia</i> (English Walnut). 2 to 3 ft. | 1 50 | | 12 50 |
| <i>Larix Europæa</i> (European Larch) — | | | |
| 4 to 5 ft. | 2 00 | | |
| 3 to 4 ft. | 1 75 | | 15 00 |
| <i>Liquidambar styraciflua</i> (Sweet Gum). | | | |
| 3 ft. | 1 50 | | |
| 5 to 6 ft. | 10 00 | | |
| <i>Liriodendron Tulipifera</i> (Tulip Tree). 8 to | | | |
| 10 ft. | 3 50 | | 30 00 |
| <i>Maclura aurantiaca</i> (Osage Orange). 4 ft.; | | | |
| trans. | 5 00 | | |
| <i>Magnolia acuminata</i> (Cucumber Tree). 4 to | | | |
| 5 ft. | 1 50 | | |
| <i>conspicua</i> , White. 3 to 4 ft. | 15 00 | | |
| <i>Soulangiana</i> , Pink — | | | |
| 3 to 4 ft. | 10 00 | | |
| 2 to 3 ft. | 7 50 | | |
| <i>stellata</i> (Halleaua), White — | | | |
| 3 ft., trans. | 15 | | |
| 2 ft., trans. | | | |
| 18 in., trans. | | | |
| <i>Morus alba</i> (White Mulberry). 6 | | | 10 00 |
| <i>Tatarica</i> (Russian Mulb | | | |
| 8 ft. | 1 50 | | 15 00 |
| Teas' Weeping. <i>heavenly</i> | 5 00 | | 40 00 |
| Fair heads. | 3 50 | | 30 00 |
| <i>Oxydendron arborea</i> . 5 | 3 00 | | 25 00 |
| 2 to 3 ft. | 2 00 | | 15 00 |
| <i>Paulownia imperialis</i> (Empress Tree). 4 to | | | |
| 6 ft. | 5 00 | | |
| <i>Platanus occidentalis</i> (American Plane) — | | | |
| 3 ft.; p. mids | 60 | | 5 00 |
| 5 ft.; pyr. mids | 1 25 | | 10 00 |
| 7 to 9 ft.; pyramids | 2 50 | | 20 00 |
| <i>orientalis</i> (Oriental Plane). 8 to | | | |
| 10 ft. | 3 50 | | |
| <i>Populus alba</i> (Silver Poplar). 4 to 5 ft. | 1 00 | | 7 50 |
| <i>angustifolia</i> . 4 to 5 ft. | 1 00 | | 7 50 |

6 HIRAM T. JONES, ELIZABETH, N. J.

| | | |
|--|--------|---------|
| Populus Bolleana (Upright Poplar) — | 10 | 100 |
| 10 to 12 ft. | \$4 50 | \$40 00 |
| 8 to 10 ft. | 3 50 | 30 00 |
| <i>fastigiata</i> (Lombardy Poplar). 8 | | |
| to 10 ft. | 2 50 | 20 00 |
| <i>monilifera</i> (Carolina Poplar) — | | |
| 12 to 14 ft. | 3 00 | 25 00 |
| 10 to 12 ft. | 2 00 | 15 00 |
| 8 to 10 ft. | 1 50 | 10 00 |
| Ptelea trifoliata (Hop Tree). 5 to 6 ft. | 1 00 | 8 00 |
| Pyrus (Bechtel's Flowering Crab). 3 to 4 ft. | 3 50 | 30 00 |
| Kaido. 2 to 3 ft. | 5 00 | |
| Toringo. 2 to 3 ft. | 5 00 | |
| Quercus alba (White Oak) — | | |
| 4 to 5 ft.; trans. | 10 00 | 75 00 |
| 1 to 2 ft.; trans. | 4 00 | 35 00 |
| <i>bicolor</i> (Swamp White Oak). 3 to 4 ft.; trans. | 4 50 | 40 00 |
| <i>Concordia</i> (Golden Oak). 4 to 5 ft.; trans. | 7 50 | |
| <i>Cerris</i> (Turkey Oak). 2 to 3 ft.; trans. | 3 00 | |
| <i>coccinea</i> (Scarlet Oak). 4 to 5 ft.; trans. | 6 00 | 50 00 |
| 6 to 8 ft. | 7 50 | 60 00 |
| <i>macrocarpa</i> (Mossy Cup Oak). 2 to 3 ft.; trans. | 2 50 | |
| <i>palustris</i> (Pin Oak) — | | |
| 7 to 9 ft.; trans. | 4 00 | 35 00 |
| 5 to 7 ft.; trans. | 3 50 | 30 00 |
| 3 to 5 ft.; trans. | 3 00 | 25 00 |
| <i>Phellos</i> (Willow Oak). 2 to 2½ ft.; trans. | 3 00 | 25 00 |
| <i>Prinus</i> (Chestnut Oak). 3 to 4 ft.; trans. | 4 00 | |
| <i>pyramidalis</i> (Pyramid Oak). 2 ft.; trans. | 2 50 | 20 00 |
| <i>rubra</i> (Red Oak). 3 to 4 ft.; trans. | 4 50 | 40 00 |
| Salisburia adiantifolia (Gingko). 3 to 7 ft. | 4 00 | 35 00 |
| Salix Babylonica (Weeping Willow) — | | |
| 10 to 12 ft. | 5 00 | 40 00 |
| 8 to 10 ft. | 2 50 | 20 00 |
| <i>pentandra</i> (Laurel-Leaf Willow). 3 to 4 ft. | 1 50 | 10 00 |
| Wisconsin (Weeping Willow). 8 to 10 ft. | 2 50 | 20 00 |

| | | | | |
|-----------------|--|-------|-----|---------|
| Sorbus | Aucuparia (European Mountain Ash). 8 to 10 ft..... | 10 | 100 | |
| | 6 to 8 ft..... | 1 75 | | \$15 00 |
| | domestica (Service Berry). 2 to 3 ft..... | 2 00 | | |
| Taxodium | distichum (Cypress). 3 to 4 ft.. | 1 50 | | |
| Tilia | argentea (Silver-Leaved Linden). 8 to 10 ft..... | 4 00 | | |
| | Europæa (European Linden). 8 to 10 ft..... | 3 00 | | 25 00 |
| | platyphylla (Broad-Leaved Linden)— | | | |
| | 12 to 14 ft.; 4 to 4½ in. diam..... | 35 00 | | |
| | 11 to 13 ft.; 3 to 4 in. diam..... | 20 00 | | 150 00 |
| | 10 to 12 ft.; 2½ to 3 in. diam..... | 15 00 | | 100 00 |
| | 9 to 11 ft.; 2 to 2½ in. diam..... | 10 00 | | 80 00 |
| | 8 to 10 ft.; 1½ to 2 in. diam..... | 6 00 | | 50 00 |
| | 7 to 9 ft.; 1 to 1½ in. diam..... | 3 50 | | 30 00 |
| Ulmus | Americana (White Elm) — | | | |
| | 4 to 6 ft..... | 1 00 | | 7 50 |
| | 6 to 8 ft..... | 1 25 | | 10 00 |
| | 8 to 10 ft..... | 1 75 | | 15 00 |
| | Camperdowni (Weeping Elm); trans..... | 7 50 | | |
| | campestris (English Elm). 8 to 10 ft..... | 2 00 | | 15 00 |
| | latifolia (Scotch Elm). 8 to 10 ft.. | 2 50 | | 20 00 |
| | purpurea (Purple-Leaved Elm). 6 to 8 ft..... | 2 50 | | |
| | scabra (Wych Elm). 10 to 12 ft.... | 3 50 | | 30 00 |
| | 8 to 10 ft.... | 2 50 | | 20 00 |
| Zelkova | keaki. 2½ to 3 ft.; bushy..... | 5 00 | | |

DECIDUOUS SHRUBS

| | | | | |
|---------------------------------------|-----------------------------------|--------|-----|---------|
| Althea , Double Named Sorts— | | 10 | 100 | |
| | 4 to 5 ft..... | \$2 00 | | \$15 00 |
| | 3 to 4 ft..... | 1 00 | | 8 00 |
| | 2 to 3 ft..... | 1 00 | | 6 00 |
| | Variegated-Leaved. 1½ to 2 ft.... | 1 00 | | 8 00 |
| | Tree form. 4 to 5 ft..... | 5 00 | | |
| Almond , Double White and Red. | 2 ft.... | 1 50 | | |
| Amelanchier Botryapium. | 2 ft..... | 1 50 | | |
| Amorpha canescens. | 1½ ft..... | 1 00 | | 7 50 |
| | fruticosa. 2 ft..... | 1 50 | | 10 00 |

8 HIRAM T. JONES, ELIZABETH, N. J.

| | 10 | 100 |
|---|------|--------|
| Azalea amoena. 15 to 18 in., with buds.... | \$7 | 50 |
| <i>mollis</i> — | | |
| 6 to 8 in. | 1 00 | \$7 00 |
| 15 to 18 in., with buds | 2 50 | 20 00 |
| Baccharis halimifolia. 2 ft..... | 1 00 | 5 00 |
| Berberis purpurea — | | |
| 15 to 18 in..... | 35 | 3 00 |
| 18 to 24 in..... | 45 | 4 00 |
| 2 to 3 ft. | 70 | 6 00 |
| 3 to 4 ft. | 1 25 | 10 00 |
| Thunbergii — | | |
| 12 to 18 in.; branched..... | 75 | 4 00 |
| 18 to 24 in.; fine..... | 1 00 | 7 00 |
| 2 to 2½ ft.; bushy..... | 1 75 | 15 00 |
| <i>vulgaris.</i> 2 to 3 ft. | 75 | 6 00 |
| Calycanthus floridus. 2 ft..... | 1 00 | |
| <i>præcox</i> | 1 00 | |
| Caragana arborescens. 3 ft. | 1 50 | 10 00 |
| <i>arborescens pendula.</i> 2 ft..... | 2 50 | |
| Caryopteris Mastacanthus. 18 to 24 in.... | 1 00 | 8 00 |
| Cerasus pumila Besseyi (Rocky Mt. Cherry). | | |
| 2 to 3 ft. | 1 25 | 10 00 |
| Chionanthus Virginica (White Fringe)— | | |
| 2 to 3 ft. | 1 25 | 10 00 |
| 3 to 4 ft.; bushy | 2 00 | 15 00 |
| Clethra alnifolia. 18 to 24 in..... | 75 | 6 00 |
| Colutea arborescens. 2 to 3 ft..... | 1 00 | 6 00 |
| Cornus alternifolia. 4 ft.; bushy..... | 1 50 | |
| <i>elegantissima</i> (Silver Variegated- Leaved)— | | |
| 18 ft. | 2 00 | 15 00 |
| 2 to 3 ft. | 3 00 | 25 00 |
| 3 to 3½ ft.; bushy | 3 50 | |
| <i>Gouehaltii aurea</i> (Golden Varie- gated Leaved). 3 ft. | 3 00 | 25 00 |
| <i>Kousa.</i> 3 ft..... | 5 00 | |
| <i>macrophylla.</i> 3 ft..... | 5 00 | |
| <i>Mas.</i> 3 to 4 ft..... | 1 25 | 10 00 |
| 2 to 3 ft..... | 1 00 | 7 50 |
| <i>sanguinea.</i> 3 ft.; bushy | 75 | 6 00 |
| <i>Sibirica.</i> 3 ft.; bushy..... | 1 00 | 7 00 |
| <i>stolonifera.</i> 3 ft.; bushy..... | 75 | 5 00 |
| Corylus avellana. 4 to 5 ft..... | 1 25 | 10 00 |
| <i>avellana purpurea.</i> 2 to 3 ft..... | 2 00 | 15 00 |

WHOLESALE LIST — FALL, 1902

9

| | 10 | 100 |
|--|--------|---------|
| Crataegus Crus-galli. 2 to 3 ft..... | \$1 50 | \$10 00 |
| Oxyacantha. 2 to 3 ft..... | 1 00 | 6 00 |
| Oxyacantha, Paul's Double. 5 to 6 ft..... | 3 00 | 25 00 |
| Oxyacantha, White Double. 5 to 6 ft..... | 3 50 | 30 00 |
| Cydonia Japonica — | | |
| 1½ to 2 ft.; stocky..... | 75 | 6 00 |
| 2 to 3 ft.; bushy..... | 1 25 | 10 00 |
| nivalis. 2 to 3 ft..... | 1 75 | 15 00 |
| Desmodium penduliflorum | 1 50 | 12 50 |
| Daphne Mezereum. 12 to 18 in..... | 2 50 | |
| Deutzia crenata flore plena. 3 ft..... | 1 00 | 5 00 |
| gracilis. 12 to 18 in.; bushy..... | 1 00 | |
| gracilis rosea. 12 to 18 in..... | 1 25 | 10 00 |
| Lemoinei. 18 to 24 in..... | 1 00 | 8 00 |
| Pride of Rochester. 3 to 4 ft..... | 1 00 | 5 00 |
| scabra. 3 ft..... | 75 | 5 00 |
| Euonymus Europæus. 3 to 4 ft..... | 1 00 | 7 50 |
| Europæus linearis | 75 | |
| alatus | 7 50 | 50 00 |
| Bungeana..... | 2 00 | |
| obovatus | 1 25 | 10 00 |
| latifolius | 5 00 | 40 00 |
| Yedoensis. 3 to 4 ft..... | 5 00 | |
| Elaeagnus longipes. 2 to 3 ft. | 2 00 | 15 00 |
| Exochorda grandiflora — | | |
| 2 to 3 ft. | 25 | 10 00 |
| 3 to 4 ft..... | 00 | 15 00 |
| Forsythia Fortunei. 3 to 4 ft..... | 00 | 8 00 |
| Fortunei aurea var. 3 ft..... | 50 | |
| Fortunei Sieboldii. 2 to 3 ft..... | 1 00 | 8 00 |
| suspensa. 3 to 4 ft..... | 1 00 | 8 00 |
| viridissima. 3 to 4 ft..... | 75 | 7 00 |
| Halesia tetraptera (Silva Bell). 5 to 6 ft. | 1 50 | |
| Hibiscus, Crimson Eye. 3 ft..... | 75 | 5 00 |
| Hollyhocks. Four colors..... | 75 | 6 00 |
| Hydrangea paniculata grandiflora — | | |
| 18 to 24 in | 75 | 6 00 |
| 2 to 3 ft | 1 00 | 8 00 |
| 3 to 4 ft.; heavy..... | 1 50 | 12 50 |
| Tree form; extra..... | 3 00 | 25 00 |
| Tree form; fine stock..... | 2 50 | 20 00 |

10 HIRAM T. JONES, ELIZABETH, N. J.

| | | |
|--|--------|--------|
| | 10 | 100 |
| Hydrangea quercifolia. Trans..... | \$3 50 | |
| Tardiva. 3 ft..... | 2 00 | |
| Hypericum aureum | 1 50 | |
| densiflorum. 1½ ft..... | 1 00 | \$8 00 |
| Moserianum. Fine..... | 75 | 6 00 |
| Ilex verticillata. 3 ft.; trans..... | 1 50 | |
| Jasminum nudiflorum. 2 ft..... | 1 00 | 7 50 |
| Jamesia Americana. 2 ft..... | 1 50 | 12 00 |
| Kerria Japonica. Double; 3 to 4 ft..... | 1 00 | 7 00 |
| Japonica. Single..... | 1 50 | |
| Japonica variegata. 2 ft..... | 1 50 | 10 00 |
| Ligustrum (Privet, California) — | | |
| 4 to 5 ft.; 2 yrs..... | | 7 50 |
| 3 to 4 ft.; 2 yrs..... | | 4 00 |
| 2 to 3 ft.; 2 and 3 yrs..... | | 2 50 |
| 18 to 24 in.; 1 yr..... | | 1 75 |
| 12 to 18 in.; 1 yr..... | | 1 50 |
| 8 to 12 in.; 1 yr..... | | 1 00 |
| amurensis. 2 to 3 ft..... | | 3 00 |
| vulgaris. 18 to 24 in.; trans.... | | 4 00 |
| Regelianum. 18 to 24 in.; 2 yrs. | 3 00 | |
| Specimens | 10 00 | |
| Walkerii. New..... | 2 50 | |

Collection as below, \$2.50

Excelsum, Coriaceum, Coriaceum volutum, Californica Marginatum aureum, Lucidum, Lucidum macrophyllum, Japonicum macrophyllum, Japonicum picturatum, Macrophyllum marginatum aureum, Robustum marginatum, Robustum marginatum aureum, Argentea elegans, Ovalifolium tricolor.

| | | |
|---|--------|---------|
| | 10 | 100 |
| Limonia trifoliata. 3 to 4 ft.; trans..... | \$1 50 | |
| Lonicera Alberti. 2 ft.; bushy..... | 1 25 | \$10 00 |
| chrysantha. 3 to 4 ft..... | 1 50 | |
| Morrowi. 3 to 4 ft..... | 1 00 | |
| Tatarica alba. 2 ft..... | 1 00 | 7 50 |
| Tatarica rubra. 2 ft..... | 1 00 | 8 00 |
| Ophiopogon Jaburan | 5 00 | |
| Peonies, Herbaceous; named..... | 1 50 | 10 00 |
| Tree. 4 yr.; strong..... | 5 00 | |
| Phlox, named sorts | 1 00 | 7 50 |
| Mixed | 1 50 | 3 00 |

| | 10 | 100 |
|--|--------|---------|
| Philadelphus aurea. 18 to 24 in..... | \$1 25 | \$10 00 |
| <i>aurea.</i> 12 to 18 in..... | 1 00 | 8 00 |
| <i>coronarius.</i> 2 to 3 ft..... | 75 | 6 00 |
| <i>coronarius.</i> 4 to 5 ft..... | 1 00 | 8 00 |
| <i>grandiflora.</i> 3 to 4 ft..... | 1 00 | 7 00 |
| <i>nanus.</i> 12 to 15 in..... | 1 50 | |
| <i>Zeyheri.</i> 2 to 3 ft..... | 1 25 | |
| Potentilla fruticosa. 2 ft..... | 1 00 | 8 00 |
| Ptelea trifoliata. 3 to 4 ft..... | 75 | 6 00 |
| Prunus Mume (Japanese Flowering Plum). | | |
| Single and double-flowering..... | 5 00 | 35 00 |
| <i>Pissardi.</i> 3 to 4 ft..... | 1 25 | 10 00 |
| <i>triloba.</i> 3 to 4 ft.; trans..... | 1 25 | 10 00 |
| Pyrus arbutifolia. 3 ft.; bushy..... | 1 50 | 10 00 |
| Rhamnus Catharticus. 18 to 24 in.; bushy. | 50 | 4 00 |
| Rhodotypus kerrioides | 1 50 | |
| Rhus cotinus (Purple Fringe). 3 to 4 ft.. | 75 | 8 00 |
| <i>glabra laciniata</i> (Cut-Leaved). 2 ft.. | 1 25 | 10 00 |
| <i>copallina.</i> Trans..... | 1 25 | 10 00 |
| <i>trilobata</i> | 1 00 | 8 00 |
| Ribes Gordonianum | 1 00 | 7 50 |
| Rosa Arkansana. 8 to 12 in..... | 1 25 | 10 00 |
| <i>fendlerii.</i> 2 to 3 ft..... | 1 25 | 10 00 |
| <i>lucida.</i> 2 ft.; trans..... | 1 50 | |
| <i>rugosa, Red.</i> 15 to 20 in.; bushy.... | 75 | 6 00 |
| 2 to 3 ft.; heavy..... | 1 25 | 10 00 |
| <i>rugosa alba.</i> 2 to 3 ft..... | 50 | |
| <i>setigera</i> | 1 50 | 10 00 |
| Sambucus nigra aurea (Golden Elder). 3 | | |
| to 4 ft..... | 00 | 7 00 |
| <i>racemosus.</i> 3 to 4 ft..... | 1 25 | 10 00 |
| <i>racemosus plumosus aurea</i> | 3 50 | |
| Spiraea arguta multiflora. 18 to 24 in.; | | |
| bushy..... | 1 00 | 7 50 |
| <i>araefolia.</i> 2 ft..... | 1 00 | 8 00 |
| <i>Billardi.</i> 3 to 4 ft..... | 1 00 | 7 50 |
| <i>Bumalda.</i> 12 to 18 in..... | 50 | 4 00 |
| 2 ft..... | 75 | 8 00 |
| Anthony Waterer. 12 in.; bushy. | 1 00 | 5 00 |
| 18 to 24 in..... | 1 00 | 7 00 |
| 2 ft.; bushy..... | 1 25 | 10 00 |

12 HIRAM T. JONES, ELIZABETH, N. J.

| | | | |
|---|--------|-----|--------|
| Spiraea callosa. 2 ft..... | \$0 75 | 100 | \$6 00 |
| callosa alba. 18 to 24 in..... | 75 | | 6 00 |
| chamædrifolia. 2 to 3 ft..... | 75 | | |
| Douglasii. 18 to 24 in..... | 1 00 | | 7 00 |
| lanceolata. 2 ft..... | 75 | | 5 00 |
| opulifolia. 3 to 4 ft..... | 75 | | 6 00 |
| opulifolia aurea. 3 to 4 ft..... | 1 25 | | 10 00 |
| prunifolia. 2 to 3 ft..... | 80 | | 7 00 |
| Reevesii. 2 ft..... | 75 | | 7 00 |
| Thunbergii. 18 to 24 in..... | 1 00 | | 6 00 |
| Van Houttei 2 to 3 ft..... | 1 00 | | 8 00 |
| 3 to 4 ft.; bushy..... | 1 25 | | 10 00 |
| Styrax Japonica. 2 ft..... | 2 00 | | |
| Syringa (Lilac) alba. 2 to 3 ft.; bushy.... | 1 00 | | 8 00 |
| 3 to 4 ft.; bushy..... | 1 25 | | 10 00 |
| Tree form..... | 1 50 | | 12 50 |
| Persian. 2 to 3 ft.; bushy..... | 1 75 | | 15 00 |
| 18 to 24 in ; bushy..... | 1 25 | | 10 00 |
| Rubra de Marly. Valuable for forcing. 2 to 3 feet..... | 1 00 | | 8 00 |
| 3 to 4 ft..... | 1 25 | | 10 00 |
| Tree form..... | 1 50 | | 12 50 |
| vulgaris (Purple). 2 to 3 ft..... | 75 | | 6 00 |
| 3 to 4 ft..... | 1 00 | | 8 00 |
| to 5 ft..... | 1 75 | | 15 00 |
| Tree form..... | 1 50 | | 12 50 |
| Symphoricarpos racemosa 2 to 3 ft..... | 1 00 | | 6 00 |
| vulgaris 2 to 3 ft..... | 1 00 | | 8 00 |
| Tamarix Africana. 2 to 3 ft..... | 1 00 | | 8 00 |
| Caspariana. 2 to 3 ft..... | 75 | | 8 00 |
| Odessana. 3 ft..... | 1 25 | | 10 00 |
| Viburnum acerifolium..... | 1 50 | | |
| Cassinoides. 8 to 12 ft..... | 1 00 | | 8 00 |
| dentatum. 2 to 3 ft..... | 2 50 | | 20 00 |
| Lantana. 2 to 3 ft..... | 1 25 | | 10 00 |
| Opulus. 2 to 3 ft..... | 90 | | |
| Opulus fl. pl. (Snowball)— | | | |
| 18 to 24 in..... | 50 | | 8 00 |
| 2 to 3 ft.; heavy..... | 1 25 | | 10 00 |
| plicatum. 2 to 3 ft..... | 2 00 | | |

| | | |
|--|--------|--------|
| | 10 | 100 |
| Weigela nana variegata. 2 to 3 ft | \$1 00 | \$8 00 |
| rosea. 3 to 4 ft..... | 1 00 | 8 00 |
| Eva Rathke. 2 to 3 ft..... | 1 50 | 12 00 |
| candida. | 1 50 | |
| amabilis. | 1 00 | 8 00 |
| Sieboldi. 2 ft..... | 1 00 | 8 00 |

CLIMBING SHRUBS

| | | |
|---|------|-------|
| Actinidia arguta. 2 to 3 ft..... | 1 25 | 10 00 |
| Akebia quinata. 3 yrs.; strong..... | 75 | 5 00 |
| Ampelopsis muralis. | 1 25 | 8 00 |
| quinquefolia. Strong plants.. | 75 | 6 00 |
| Veitchii. Strong plants; 2 yrs. | 1 00 | 8 00 |
| Medium; 2 yrs..... | 75 | 6 00 |
| Bignonia grandiflora. | 1 50 | 10 00 |
| radicans. 2 yrs..... | 75 | 5 00 |
| Clematis coccinea | 1 00 | |
| crispa | 1 00 | |
| flammula. | 1 00 | 8 00 |
| Jackmani, Henryi, Mme. B. Villard, Ramona, Mme. E. Andre, etc. 2 yrs.; strong..... | 2 50 | 20 00 |
| montana. | 1 50 | 10 00 |
| paniculata. Open ground; heavy. | 60 | 5 50 |
| Open ground; strong..... | 60 | 5 00 |
| viticelli | 1 00 | 9 00 |
| Celastrus scandens. 3 to 4 ft | 1 00 | |
| Hedera Helix (English Ivy) | 1 50 | |
| Lonicera aurea reticulata. 2 yrs..... | 75 | 6 00 |
| Belgica. 2 yrs..... | 75 | 7 00 |
| coccinea | 1 25 | 10 00 |
| Halleana. 2 yrs : extra..... | 75 | 6 00 |
| 2 yrs.; strong. | 60 | 5 00 |
| Sinensis. 2 yrs. | 80 | 7 00 |
| Lycium Sinensis. 3 to 4 ft. | 1 00 | 7 50 |
| Rubus dumetorum. | 50 | 3 50 |
| Schizophragm Lychngeoides (Climbing Hydrangea), 2 ft..... | 5 00 | |
| Wistaria frutescens. 2 yrs..... | 1 00 | 8 00 |
| Sinensis. 3 yrs.; heavy | 2 00 | 15 00 |
| Sinensis alba. Extra..... | 2 50 | 20 00 |

EVERGREEN SHRUBS

| | 10 | 100 |
|--|---------|--------|
| Andromeda floribunda. 15 to 18 in..... | \$12 50 | |
| Azalea amœna. 12 to 18 in..... | 5 00 | |
| Buxus arborescens (Tree Box) — | | |
| 5 to 8 in.; clipped..... | 75 | \$5 00 |
| 8 to 12 in.; clipped..... | 1 25 | 10 00 |
| 12 to 18 in.; clipped..... | 1 75 | 15 00 |
| 18 to 24 in..... | 2 50 | 20 00 |
| 2 ft.; bushy..... | 5 00 | |
| Dwarf, for edging..... | 50 | 2 00 |
| Dwarf, for edging; clumps..... | 8 00 | 75 00 |
| Ilex crenata — | | |
| 12 to 18 in..... | 3 00 | 25 00 |
| 18 to 24 in..... | 10 00 | 75 00 |
| 2 to 2½ ft. | 12 50 | |
| Kalmia latifolia — | | |
| 18 in., trans. | 4 00 | |
| 6 to 12 in., trans..... | 1 50 | 10 00 |
| Mahonia aquifolia. 18 to 24 in..... | 1 50 | |
| Japonica. 12 to 18 in..... | 2 00 | 15 00 |
| Rhododendron ferrugineum. 12 to 18 in.. | 7 50 | |
| Wilsonianum. 12 to 18 in.. | 7 50 | |
| myrtifolium. 12 to 18 in.. | 7 50 | |
| maximum. 2 to 4 ft.; | | |
| trans.....\$1 to \$5 each.. | | |
| maximum. 10 to 12 in.; | | |
| trans..... | 1 50 | 10 00 |
| hybrid; named sorts | 10 00 | 75 00 |
| Yucca filamentosa. Strong..... | 50 | 4 00 |

EVERGREEN TREES

All have been transplanted within three years and most of them within two years, and can be moved with balls with exception of the Pines. If to be shipped with ball there will be an additional charge for extra labor and burrap.

| | 10 | 100 |
|------------------------------|--------|---------|
| Abies alba — | | |
| 18 to 24 in. | \$2 00 | \$15 00 |
| 2 to 3 ft..... | 2 50 | |
| alba (Black Hills variety) — | | |
| 3 to 4 ft..... | 10 00 | |
| 18 to 24 in..... | 3 00 | 25 00 |

WHOLESALE LIST—FALL, 1902 15

| | | | |
|------------------|------------------------------------|--------|---------|
| | | 10 | 100 |
| Abies | Balsamea (Balsam Fir), 2 to 2½ ft. | \$5 00 | |
| | Canadensis (Hemlock) — | | |
| | 12 to 18 in..... | 2 00 | \$15 00 |
| | 18 to 24 in..... | 3 00 | 25 00 |
| | 2 to 3 ft. | 4 00 | |
| | 3 to 4 ft. | 7 50 | |
| | 4 to 5 ft. | 10 00 | |
| | conica. 12 to 15 in..... | 3 50 | |
| | excelsa (Norway Spruce) — | | |
| | 2 to 3 ft. | 3 00 | 25 00 |
| | 3 to 4 ft. | 6 00 | 50 00 |
| | 4 to 5 ft. | 10 00 | |
| | excelsa aurea. 2½ to 3 ft..... | 5 00 | |
| | excelsa inverta. 2 to 3 ft..... | 1 00 | |
| | pungens— | | |
| | 18 to 24 in..... | 2 50 | 20 00 |
| | 2 to 3 ft. | 3 00 | 25 00 |
| | pungens glauca— | | |
| | 18 to 24 in..... | 6 00 | 50 00 |
| | 2 to 2½ ft..... | 12 50 | 100 00 |
| | 2½ to 3 ft. | 20 00 | |
| | pungens glauca Kosteriana— | | |
| | 2½ to 3 ft. | 30 00 | |
| | 18 to 24 in..... | 20 00 | 175 00 |
| | Nordmanniana— | | |
| | 2 to 3 ft. | 15 00 | |
| | 3 to 4 ft. | 25 00 | |
| Cedrus | Atlantica glauca. 12 to 18 in..... | 5 00 | |
| Juniperus | Hibernica— | | |
| | 18 to 24 in..... | 1 00 | 7 00 |
| | 2 to 3 ft. | 1 00 | 50 |
| | 3 to 4 ft. | 2 00 | 15 00 |
| | 4 to 5 ft. | 2 50 | 20 00 |
| | Japonica. 2 to 2½ ft..... | 50 | |
| | Sabina. 15 to 18 in..... | 00 | 25 00 |
| | Sabina var. 2 to 2½ ft..... | 10 00 | |
| | Virginiana. 2 to 3 ft..... | 2 00 | 15 00 |
| Pinus | austriaca— | | |
| | 18 to 24 in. | 1 50 | 10 00 |
| | 2 to 3 ft..... | 2 50 | |
| | excelsa. 2½ to 3 ft..... | 7 50 | |
| | Strobus— | | |
| | 12 to 18 in..... | 2 50 | 20 00 |
| | 3 to 4 ft. | 5 00 | |

16 HIRAM T. JONES, ELIZABETH, N. J.

| | | |
|--|--------|---------|
| Pinus sylvestris — | 10 | 100 |
| 18 to 24 in.; selected..... | \$1 50 | \$10 00 |
| 2 to 3 ft. | 2 50 | 20 00 |
| Retinospora obtusa nana. 18 in..... | 7 50 | |
| 12 in..... | 5 00 | |
| 6 to 12 in..... | 3 00 | |
| plumosa. 12 to 15 in..... | 1 75 | 15 00 |
| 18 to 24 in..... | 3 00 | |
| plumosa aurea. 2 to 3 ft. | 5 00 | |
| squarrosa Veitchii. 2 to 3 ft.. | 5 00 | |
| Thuja occidentalis — | | |
| 12 to 18 in..... | 50 | 4 00 |
| 18 to 24 in..... | 75 | 6 00 |
| 2 to 3 ft. | 1 00 | 8 00 |
| 3 to 4 ft.....per 1,000, \$100.. | 1 75 | 15 00 |
| 4 to 5 ft. | 3 00 | 25 00 |
| 5 to 6 ft. | 5 00 | |
| occidentalis compacta. 12 to 15 in.. | 2 00 | 15 00 |
| occidentalis erecoides. 15 to 18 in.. | 2 50 | |
| occidentalis globosa— | | |
| 12 to 15 in..... | 2 00 | 15 00 |
| 2 to 2½ ft. | 7 50 | |
| occidentalis pyramidalis. 2 to 3 ft.. | 3 00 | 25 00 |
| occidentalis Warreana (Siberian)— | | |
| 12 to 15 in..... | 2 00 | 15 00 |
| 18 to 24 in. | 2 50 | |
| 2 to 3 ft..... | 5 00 | |
| Orientalis— | | |
| 12 to 18 in..... | 1 00 | 8 00 |
| 18 to 24 in..... | 1 25 | 10 00 |
| 2 to 3 ft. | 1 75 | 15 00 |
| Orientalis elegantissima— | | |
| 12 to 18 in..... | 2 50 | 20 00 |
| 18 to 24 in. | 3 50 | 30 00 |
| 2 to 2½ ft. | 5 00 | |

ROSES

| | | |
|-------------------------------------|--------|---------|
| Crimson Rambler ; own roots— | 10 | 100 |
| 3 to 4 ft..... | \$1 50 | \$12 00 |
| 2 to 3 ft. | 1 00 | 7 50 |
| 18 to 24 in..... | 60 | 5 00 |
| Budded on Manetti at same prices. | | |
| Yellow Rambler. Strong..... | 1 00 | 7 50 |
| Pink Rambler. Strong..... | 80 | 7 00 |
| Dawson | 1 25 | 10 00 |

ROSES, continued 10 100

| | | |
|---|--------|---------|
| Hybrid Perpetual; budded on Manetti; good assortment..... | \$1 25 | \$10 00 |
| Mosses; own roots | 1 00 | 9 00 |

Hybrid Perpetual, Leading Varieties

Mme. Gabriel Luizet, Magna Charta, Margaret Dickson, Mrs. John Laing, Ulrich Brunner, Anne de Diesbach, Gen. Jacqueminot.

FRUIT DEPARTMENT

| | | |
|--|--------|--------|
| | 10 | 100 |
| Apple. 5 to 7 ft.; ¾ in. and up..... | \$1 50 | |
| 6 to 8 ft.; 1 to 1¼ in..... | 2 00 | |
| Dwarf; 3 yrs..... | 1 25 | |
| Apricot. 2 yrs..... | 1 50 | |
| Asparagus. 2 yrs..... | | \$0 50 |
| Blackberry. From root cuttings..... | 25 | 2 00 |
| Cherry, Sweet. 2 yrs.; ¾ in. and over.... | 3 50 | |
| Sour. 2 yrs.; ¾ in. and over | 3 50 | |
| Currant. 2 yrs.; No. 1..... | 75 | 5 00 |
| Gooseberry, Downing. 2 yrs.; strong..... | 50 | 4 50 |
| Grape, Concord. 3 yrs..... | 1 00 | 7 50 |
| Green Mountain. 3 yrs..... | 3 00 | |
| Moore's Early. 3 yrs..... | 1 00 | 8 00 |
| Niagara. 3 yrs..... | 1 25 | 10 00 |
| Worden. 3 yrs..... | 1 00 | |
| Peach. 9 to 16 in. and up..... | 1 00 | 7 00 |
| Pear, Standard. 1 to 1¼ in.; 2-yr. heads.. | 2 50 | 20 00 |
| Plum, on Plum. 2 yrs.; ¾ in. and up..... | 1 50 | |
| Quince, Champion. 2 yrs.; 2 to 3 ft | 1 50 | 10 00 |
| Raspberry, Assorted | 35 | 3 00 |
| Rhubarb, Linnæus | | 5 00 |
| Strawberry, Marshall, Gladstone, etc..... | | 50 |

HIRAM T. JONES

Union County Nurseries

Elizabeth, N. J.

HIRAM T. JONES
ELIZABETH, NEW JERSEY